

DH-PFM343-19CH

CCTV Distributed Power Supply box



Features

- 19 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access.
- Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric network fluctuation.
- High quality and reliability: pass 100% quality examination and 3 months high temperature aging test.
- With overload protection, over-current protection, over-voltage protection, anti-static and anti-interference ability.
- Professional wall-mounted installation with reserved outlet holes, convenient and flexible.

Power Series | DH-PFM343-19CH

Technical Specifications


Model	DH-PFM343-19CH	
General		
Input voltage range	AC90~264V	
Outputs	ts 19 x 12VDC (-3%~+7%) Outputs	
Maximum output	20A, 240W	
Output protection	19 replacement fuses, max. per output 3A	
Efficiency	87%	
No load power consumption	<0.21W	
Surge protected	Line to ground: 4000V	
Surge protected	Line to line: 2000V	
ESD	Contact discharge: 6000V	
ESD	Air discharge: 8000V	
Internal ON/OFF power switch	Yes	
Individual LED output indicator	Yes	
mension 315mmx215mmx53mm(12.4"x8.46"x2.09")		
Weight	2.52kg(5.56lb)	
Color	White	
Installation mode	Wall-mounted	
Operating temperature	-20°C~+45°C(-4°F~+113°F)	
Operating humidity	<90% RH	
Certification	CE, FCC	


Order Information

Туре	Part Number	Description
Power	DH-PFM340-5CH	CCTV distributed power supply
		_Dahua brand, 5x0.8A, DC12V
	DH-PFM341-9CH	CCTV distributed power supply
		_Dahua brand, 9x0.55A, DC12V
	DH-PFM342-9CH	CCTV distributed power supply
		_Dahua brand, 9x1.1A, DC12V
	DH-PFM343-19CH	CCTV distributed power supply
		_Dahua brand, 19x1.05A, DC12V

Dimensions (mm/inch)







Package Information

- CCTV distributed power supply box DH-PFM343-19CH *1
- Mounting sticker *1
- Fuse *2
- Key *2
- St4 screw *4
- Plastic anchor *4

